

Power Your Digital World



Zip40



Wall Mounts



YES Carts

Our device charging systems safely power and secure technology for education, healthcare, office environments and more to keep smart devices charged and easily accessible. It's all about protecting your investment and protecting you. Explore Ergotron's broad portfolio of charging solutions for mobile devices, including tablets, Chromebooks, laptops, and more. We'll help you find the right cart, wall mount, or cabinet to fit your devices, space and workflow to move you forward.

THE ERGOTRON ADVANTAGE

Universal design to fit tablets, Chromebooks, laptops and more

Separate locking IT area to keep technology secure

Durable, solid construction with locking doors

UL / IEC 60950 or 62368

Managed and unmanaged versions to fit your needs (Zip40)

Fast charging times with PowerShuttle



PowerShuttle

Our charging solutions feature Ergotron's patented power management system, PowerShuttle, to efficiently charge devices up to 40% faster than standard round-robin designs.















Charging Systems Finder




Find the right charging cart or cabinet for your device:
charging.ergotron.com/finder

charging systems



												
	Zip12 Charging Wall Cabinet	Zip12 Charging Desktop Cabinet	Zip40 Charging Cart	Zip40 Charging & Management Cart	Zip40 Charging & Management Cart	YES Basic Charging Cart	YES24 Adjustable Charging Cart	YES30 Basic Laptop & Chromebook Charging Cart	YES36 Charging Cart for Mini-Laptops	YES36 Adjustable Charging Cart	YES36 Charging Cart	YES45 Adjustable Charging Cart
US/CA/MX	DM12-1006-1	DM12-1012-1	DM40-2009-1	DM40-1008-1	DM40-2008-1	YESBASGMPW4	YES24-CHR-1		YESMOR2GMPW4	YES36-CHR-1		
EU	DM12-1006-2	DM12-1012-2	DM40-2009-2		DM40-2008-2						YESMOR36-2	
UK/IE	DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3						YESMOR36-3	
HK/MY/SG	DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3			YES30-LTPCHR-3			YESMOR36-3	
AU/NZ	DM12-1006-4	DM12-1012-4	DM40-2009-4		DM40-2008-4			YES30-LTPCHR-4				
CN	DM12-1006-5	DM12-1012-5	DM40-2009-5		DM40-2008-5			YES30-LTPCHR-5				
JP		DM12-1012-6	DM40-2009-6		DM40-2008-6							YES45-CHR-6
Screen Size	≤ 12"	≤ 14"	≤ 15.6"	≤ 15.6"	≤ 15.6"	≤ 14"	≤ 14"	≤ 14"	≤ 14"	≤ 14"	≤ 14"	≤ 14"
# of Devices	12	8 – 12	30 – 40	30 – 40	30 – 40	30 – 36	15 – 24	30	30 – 36	30 – 36	36	30 – 45
Slot Size	1.0"w (2.5 cm)	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays	1.25" – 1.1"w (3.17 – 2.8 cm) adjustable bays	1.9" – 1.45"w (4.8 – 3.7 cm) adjustable bays	1.25" – 1.1"w (3.17 – 2.8 cm) adjustable bays	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays	1" – 1.25"w (2.5 – 3.1 cm) adjustable bays
	11.9"d (30.2 cm)	15.3"d (38.9 cm)	17.1"d (43.4 cm)	17.1"d (43.4 cm)	17.1"d (43.4 cm)	15.5"d (39.4 cm)	14.25"d (36.1 cm)	15.5"d (39.4 cm)	14.25"d (36.1 cm)	14.25"d (36.1 cm)	14.25"d (36.1 cm)	14.25"d (36.1 cm)
	8.9"h (22.6 cm)	9.7"h (24.6 cm)	11.2"h (28.4 cm)	11.2"h (28.4 cm)	11.2"h (28.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)	10"h (25.4 cm)
Unit Size	26.4"w (67 cm)	22"w (56 cm)	30.3"w (77 cm)	30.3"w (77 cm)	30.3"w (77 cm)	23.17"w (58.85 cm)	24.25"w (70 cm)	23.17"w (58.85 cm)	28.75"w (73 cm)	28.75"w (73 cm)	24"w (61 cm)	28.75"w (73 cm)
	5.9"d (15 cm)	24.5"d (62 cm)	26.1"d (66 cm)	26.1"d (66 cm)	26.1"d (66 cm)	23.38"d (59.38 cm)	27.75"d (62 cm)	23.38"d (59.38 cm)	25"d (63.5 cm)	25"d (63.5 cm)	40"d (101.6 cm)	25"d (63.5 cm)
	35.6"h (91 cm)	14"h (35.6 cm)	45.4"h (115 cm)	45.4"h (115 cm)	45.4"h (115 cm)	41.57"h (105.58 cm)	42"h (107 cm)	41.5"h (105 cm)	41.5"h (105.4 cm)	41.5"h (105.4 cm)	38.7"h (101.6 cm)	41.5"h (105.4 cm)
Power System	Power Strip	PowerShuttle	PowerShuttle	PowerShuttle	PowerShuttle	Power Timer	PowerShuttle	Power Timer	PowerShuttle	PowerShuttle	PowerShuttle	PowerShuttle
Pre-cabled?	No	No	No	Ethernet CAT6 for laptop management	Ethernet CAT6 for laptop management	No	No	No	No	No	No	No
Warranty	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical	Lifetime mechanical
	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical	3 years electrical
	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables	1 year cables
						TAA Compliant — Built with Anthro-DNA	Built with Anthro-DNA	Built with Anthro-DNA	TAA Compliant model available — Built with Anthro-DNA	TAA Compliant model available — Built with Anthro-DNA	Built with Anthro-DNA	Built with Anthro-DNA

charging systems

															
	Tablet Management Wall Mount 10 Lightning	Tablet Management Desktop 16 ISI / Lightning	Tablet Management Desktop 16 ISI / no cabling	Tablet Management Cart 32 ISI / Lightning	Tablet Management Cart 32 ISI / no cabling	Tablet Management Cart 48 ISI / Lightning	Tablet Management Cart 48 ISI / no cabling	Zip12 Charging Wall Cabinet	Zip12 Charging Desktop Cabinet	Zip40 Charging Cart	Zip40 Charging & Management Cart	Zip40 Charging & Management Cart	YES Basic Charging Cart	YES40/35 Tablet Charging Cart	
US/CA/MX		DM16-1004-1		DM32-1004-1				DM12-1006-1	DM12-1012-1	DM40-2009-1	DM40-1008-1	DM40-2008-1	YESBASGMPW4	YES40-TAB-1	
EU		DM16-1004-2		DM32-1004-2		DM48-1004-2		DM12-1006-2	DM12-1012-2	DM40-2009-2		DM40-2008-2		YES35-TAB-2	
UK/IE			DM16-1024-3		DM32-1024-3			DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3		YES35-TAB-3	
HK/MY/SG	DM10-1007-3		DM16-1024-3		DM32-1024-3		DM48-1024-3	DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3			
AU/NZ			DM16-1024-4		DM32-1024-4		DM48-1024-4	DM12-1006-4	DM12-1012-4	DM40-2009-4		DM40-2008-4			
CN			DM16-1024-5		DM32-1024-5		DM48-1024-5	DM12-1006-5	DM12-1012-5	DM40-2009-5		DM40-2008-5			
JP			DM16-1024-6		DM32-1024-6		DM48-1024-6		DM12-1012-6	DM40-2009-6		DM40-2008-6			
Screen Size	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 12"	≤ 14"	≤ 15.6"	≤ 15.6"	≤ 15.6"	≤ 14"	≤ 10"	
# of Devices	10	16	16	32	32	48	48	12	8 – 12	30 – 40	30 – 40	30 – 40	30 – 36	32 – 40	
Slot Size	0.9"w (2.3 cm) 10.9"d (277 cm) 7.9"h (20.1 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	0.85"w (2.2 cm) 11.3"d (28.8 cm) 7.9"h (20 cm)	1.0"w (2.5 cm) 11.9"d (30.2 cm) 8.9"h (22.6 cm)	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays 15.3"d (38.9 cm) 9.7"h (24.6 cm)	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays 17.1"d (43.4 cm) 11.2"h (28.4 cm)	1.9" – 1.1"w (4.8 – 2.8 cm) adjustable bays 17.1"d (43.4 cm) 11.2"h (28.4 cm)	1.9" – 1.1"w (4.8 x 2.8 cm) adjustable bays 17.1"d (43.4 cm) 11.2"h (28.4 cm)	1.25" – 1.1"w (3.17 – 2.8 cm) adjustable bays 15.5"d (39.4 cm) 10"h (25.4 cm)	0.87" – 1.25"w (2 – 3 cm) adjustable bays 10.5"d (26.6 cm) 8"h (20.3 cm)
Unit Size	23.2"w (59 cm) 4.0"d (80.9 cm) 31.8"h (10.2 cm)	18.3"w (46.5 cm) 16.2"d (41.1 cm) 10.4"h (26.4 cm)	18.3"w (46.5 cm) 16.2"d (41.1 cm) 10.4"h (26.4 cm)	23"w (58.4 cm) 18.4"d (46.7 cm) 39.3"h (100 cm)	23"w (58.4 cm) 18.4"d (46.7 cm) 39.3"h (100 cm)	23"w (58.4 cm) 18.4"d (46.7 cm) 39.3"h (100 cm)	23"w (58.4 cm) 18.4"d (46.7 cm) 39.3"h (100 cm)	26.4"w (67 cm) 5.9"d (15 cm) 35.6"h (91 cm)	22"w (56 cm) 24.5"d (62 cm) 14"h (35.6 cm)	30.3"w (77 cm) 26.1"d (66 cm) 45.4"h (115 cm)	30.3"w (77 cm) 26.1"d (66 cm) 45.4"h (115 cm)	30.3"w (77 cm) 26.1"d (66 cm) 45.4"h (115 cm)	23.17"w (58.85 cm) 23.38"d (59.38 cm) 41.57"h (105.58 cm)	24.5"w (62 cm) 23.75"d (60 cm) 46"h (117 cm)	
Power System	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Power Strip	PowerShuttle	PowerShuttle	PowerShuttle	PowerShuttle	Power Timer	PowerShuttle	
Pre-cabled?	No	No	No	No	No	No	No	No	No	No	Ethernet CAT6 for laptop management	Ethernet CAT6 for laptop management	No	No	
Warranty	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	5 years 2 years power module 1 year other electrical components	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables	Lifetime mechanical 3 years electrical 1 year cables

Download additional resources at ergotron.com.

For more information:

NORTH AMERICA: 800.888.8458 / +1.651.681.7600 / sales@ergotron.com

EMEA: +31.33.45.45.600 / info.eu@ergotron.com

APAC: apaccustomerservice@ergotron.com

OEM: info@oem.ergotron.com

© Ergotron, Inc. 12.03.2019

Literature made in the U.S.A.

Content subject to change.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

Patent information available at www.ergotron.com/patents.

